



The Public Health and Safety Organization

## NSF Product and Service Listings

These NSF Official Listings are current as of **Thursday, June 20, 2024** at 12:15 a.m. Eastern Time. Please contact NSF to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: [http://info.nsf.org/Certified/PwsComponents/Listings.asp?](http://info.nsf.org/Certified/PwsComponents/Listings.asp?Company=23790&Standard=061&)

[Company=23790&Standard=061&](http://info.nsf.org/Certified/PwsComponents/Listings.asp?Company=23790&Standard=061&)

---

### NSF/ANSI/CAN 61 Drinking Water System Components - Health Effects

**NOTE: Unless otherwise indicated for Materials, Certification is only for the Water Contact Material shown in the Listing. Click here for a list of Abbreviations used in these Listings. Click here for the definitions of Water Contact Temperatures denoted in these Listings.** Products certified to NSF/ANSI/CAN 61 comply with the health effects criteria in NSF/ANSI/CAN 600.

---

Norwesco, Inc.  
4365 Steiner Street  
St. Bonifacius, MN 55375  
United States  
800-328-3420

(<http://www.norwesco.com>)

952-446-1945

[Visit this company's website \(http://www.norwesco.com\)](http://www.norwesco.com)

**Facility :** Hanford, CA

### **Protective (Barrier) Materials**

| <b>Trade Designation</b>     | <b>Water Contact<br/>Size Restriction</b> | <b>Water<br/>Contact<br/>Temp</b> | <b>Water<br/>Contact<br/>Material</b> |
|------------------------------|---|-----------------------------------|---------------------------------------|
| <b>Tanks[1]</b>              |   |                                   |                                       |
| Applicator Tanks             | 20 - 500 gal.                             | CLD 23                            | PE                                    |
| Applicator Tanks (Slim Line) | 150 - 200 gal.                            | CLD 23                            | PE                                    |
| Below Ground Holding Tanks   | 2,000 - 20,000 gal.                       | CLD 23                            | PE                                    |
| Bushman-Water Tank[2]        | >= 20 gal.                                | CLD 23                            | PE                                    |
| Cistern                      | >= 500 gal.                               | CLD 23                            | PE                                    |
| Cistern DL[2]                | >= 600 gal.                               | CLD 23                            | PE                                    |
| Cistern Sphere               | 250 - 325 gal.                            | CLD 23                            | PE                                    |
| Cistern Sphere DL[2]         | >= 225 gal.                               | CLD 23                            | PE                                    |
| Cone Bottom                  | 125 - 10,000 gal.                         | CLD 23                            | PE                                    |
| Drainable Leg                | 710 - 3210 gal.                           | CLD 23                            | PE                                    |
| Elliptical                   | 200 - 1600 gal.                           | CLD 23                            | PE                                    |
| Elliptical Leg Tanks         | 135 - 4035 gal.                           | CLD 23                            | PE                                    |
| Flat Bottom Utility          | 20 - 500 gal.                             | CLD 23                            | PE                                    |
| Horizontal                   | 35 - 6025 gal.                            | CLD 23                            | PE                                    |
| Inductor Tanks               | 20 - 80 gal.                              | CLD 23                            | PE                                    |
| Loaf Tanks                   | 50 - 1050 gal.                            | CLD 23                            | PE                                    |
| Mini Bulk                    | >= 120 gal.                               | CLD 23                            | PE                                    |

|   |                  |        |    |
|---|------------------|--------|----|
| PCO   | 30 - 300 gal.    | CLD 23 | PE |
| Pickup                                      | >= 210 gal.      | CLD 23 | PE |
| Specialty Water                             | 525 - 1100 gal.  | CLD 23 | PE |
| Specialty Water Tanks / Free Standing Tanks | 100 - 4200 gal.  | CLD 23 | PE |
| Specialty Water Tanks (w/Steel Frame)       | 375 gal.         | CLD 23 | PE |
| Spot Sprayers                               | 20 - 25 gal.     | CLD 23 | PE |
| Tuna Can                                    | 5000 gal.        | CLD 23 | PE |
| Vertical                                    | 20 - 20,000 gal. | CLD 23 | PE |
| Water Hauling Tanks                         | 1250 - 2400 gal. | CLD 23 | PE |
| Water Only                                  | 20 - 20,000 gal. | CLD 23 | PE |

[1] Certified tanks are available in black, blue, green, or white.

[2] DL - Domed lid.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

**Facility :** St. Bonifacius, MN

### Protective (Barrier) Materials

| Trade Designation            | Water Contact<br>Size Restriction | Water<br>Contact<br>Temp | Water<br>Contact<br>Material |
|------------------------------|-----------------------------------|--------------------------|------------------------------|
| Tanks[1]<br>Applicator Tanks | 20 - 500 gal.                     | CLD 23                   | PE                           |

|   |                     |        |    |
|---|---------------------|--------|----|
| Applicator Tanks (Slim Line)                | 150 - 200 gal.      | CLD 23 | PE |
| Below Ground Holding Tanks                  | 2,000 - 20,000 gal. | CLD 23 | PE |
| Bushman-Water Tank[2]                       | >= 20 gal.          | CLD 23 | PE |
| Cistern                                     | >= 500 gal.         | CLD 23 | PE |
| Cistern DL[2]                               | >= 600 gal.         | CLD 23 | PE |
| Cistern Sphere                              | 250 - 325 gal.      | CLD 23 | PE |
| Cistern Sphere DL[2]                        | >= 225 gal.         | CLD 23 | PE |
| Cone Bottom                                 | 125 - 10,000 gal.   | CLD 23 | PE |
| Drainable Leg                               | 710 - 3,210 gal.    | CLD 23 | PE |
| Elliptical                                  | 200 - 1,600 gal.    | CLD 23 | PE |
| Elliptical Leg Tanks                        | 135 - 4,035 gal.    | CLD 23 | PE |
| Flat Bottom Utility                         | 20 - 500 gal.       | CLD 23 | PE |
| Horizontal                                  | 35 - 6,025 gal.     | CLD 23 | PE |
| Inductor Tanks                              | 20 - 80 gal.        | CLD 23 | PE |
| Loaf Tanks                                  | 50 - 1,050 gal.     | CLD 23 | PE |
| Mini Bulk                                   | >= 120 gal.         | CLD 23 | PE |
| PCO   | 30 - 300 gal.       | CLD 23 | PE |
| Pickup                                      | >= 210 gal.         | CLD 23 | PE |
| Specialty Water                             | 525 - 1,100 gal.    | CLD 23 | PE |
| Specialty Water Tanks (w/Steel Frame)       | 375 gal.            | CLD 23 | PE |
| Specialty Water Tanks / Free Standing Tanks | 100 - 4,200 gal.    | CLD 23 | PE |
| Spot Sprayers                               | 20 - 25 gal.        | CLD 23 | PE |
| Tuna Can                                    | 5,000 gal.          | CLD 23 | PE |
| Vertical                                    | 20 - 20,000 gal.    | CLD 23 | PE |
| Water Hauling Tanks                         | 1,250 - 2,400 gal.  | CLD 23 | PE |
| Water Only                                  | 20 - 20,000 gal.    | CLD 23 | PE |

[1] Certified tanks are available in black, blue, green, or white.

[2] DL - Domed lid.

**Facility :** Lancaster, OH

**Protective (Barrier) Materials**

| <b>Trade Designation</b>     | <b>Water Contact<br/>Size Restriction</b> | <b>Water<br/>Contact<br/>Temp</b> | <b>Water<br/>Contact<br/>Material</b> |
|------------------------------|---|-----------------------------------|---------------------------------------|
| <b>Tanks[1] [2]</b>          |   |                                   |                                       |
| Applicator Tanks             | 20 - 500 gal.                             | CLD 23                            | PE                                    |
| Applicator Tanks (Slim Line) | 150 - 200 gal.                            | CLD 23                            | PE                                    |
| Below Ground Holding Tanks   | 2,000 - 20,000 gal.                       | CLD 23                            | PE                                    |
| Bushman-Water Tank           | >= 20 gal.                                | CLD 23                            | PE                                    |
| Cistern                      | >= 500 gal.                               | CLD 23                            | PE                                    |
| Cistern DL                   | >= 600 gal.                               | CLD 23                            | PE                                    |
| Cistern Sphere               | 250 - 325 gal.                            | CLD 23                            | PE                                    |
| Cistern Sphere DL            | >= 225 gal.                               | CLD 23                            | PE                                    |
| Cone Bottom                  | 125 -10,000 gal.                          | CLD 23                            | PE                                    |
| Drainable Leg                | 710 - 3210 gal.                           | CLD 23                            | PE                                    |
| Elliptical                   | 200 - 1600 gal.                           | CLD 23                            | PE                                    |
| Elliptical Leg Tanks         | 135 - 4035 gal.                           | CLD 23                            | PE                                    |
| Flat Bottom Utility          | 20 - 500 gal.                             | CLD 23                            | PE                                    |
| Horizontal                   | 35 - 6025 gal.                            | CLD 23                            | PE                                    |
| Inductor Tanks               | 20 - 80 gal.                              | CLD 23                            | PE                                    |
| Loaf Tanks                   | 50 - 1050 gal.                            | CLD 23                            | PE                                    |
| Mini Bulk                    | >= 120 gal.                               | CLD 23                            | PE                                    |
| PCO                          | 30 - 300 gal.                             | CLD 23                            | PE                                    |

|   |                  |        |    |
|---|------------------|--------|----|
| Pickup                                      | >= 210 gal.      | CLD 23 | PE |
| Specialty Water                             | 525 - 1100 gal.  | CLD 23 | PE |
| Specialty Water Tanks (w/Steel Frame)       | 375 gal.         | CLD 23 | PE |
| Specialty Water Tanks / Free Standing Tanks | 100 - 4200 gal.  | CLD 23 | PE |
| Spot Sprayers                               | 20 - 25 gal.     | CLD 23 | PE |
| Tuna Can                                    | 5000 gal.        | CLD 23 | PE |
| Vertical                                    | 20 - 20,000 gal. | CLD 23 | PE |
| Water Hauling Tanks                         | 1250 - 2400 gal. | CLD 23 | PE |
| Water Only                                  | 20 - 20,000 gal. | CLD 23 | PE |

[1] DL - Domed Lid

[2] Certified tanks are blue, black, green, or white.

**Facility :** Fairfield, TX

### Protective (Barrier) Materials

| <b>Trade Designation</b>     | <b>Water Contact<br/>Size Restriction</b> | <b>Water<br/>Contact<br/>Temp</b> | <b>Water<br/>Contact<br/>Material</b> |
|------------------------------|---|-----------------------------------|---------------------------------------|
| <b>Tanks[1]</b>              |   |                                   |                                       |
| Applicator Tanks             | 20 - 500 gal.                             | CLD 23                            | PE                                    |
| Applicator Tanks (Slim Line) | 150 - 200 gal.                            | CLD 23                            | PE                                    |
| Below Ground Holding Tanks   | 2,000 - 20,000 gal.                       | CLD 23                            | PE                                    |
| Bushman-Water Tank[2]        | >= 20 gal.                                | CLD 23                            | PE                                    |
| Cistern                      | >= 500 gal.                               | CLD 23                            | PE                                    |

|   |                  |        |    |
|---|------------------|--------|----|
| Cistern DL[2]                               | >= 600 gal.      | CLD 23 | PE |
| Cistern Sphere                              | 250 - 325 gal.   | CLD 23 | PE |
| Cistern Sphere DL[2]                        | >= 225 gal.      | CLD 23 | PE |
| Cone Bottom                                 | 125 -10,000 gal. | CLD 23 | PE |
| Drainable Leg                               | 710 - 3210 gal.  | CLD 23 | PE |
| Elliptical                                  | 200 - 1600 gal.  | CLD 23 | PE |
| Elliptical Leg Tanks                        | 135 - 4035 gal.  | CLD 23 | PE |
| Flat Bottom Utility                         | 20 - 500 gal.    | CLD 23 | PE |
| Horizontal                                  | 35 - 6025 gal.   | CLD 23 | PE |
| Inductor Tanks                              | 15 - 80 gal.     | CLD 23 | PE |
| Loaf Tanks                                  | 50 - 1050 gal.   | CLD 23 | PE |
| Mini Bulk                                   | >= 120 gal.      | CLD 23 | PE |
| PCO   | 30 - 300 gal.    | CLD 23 | PE |
| Pickup                                      | >= 210 gal.      | CLD 23 | PE |
| Specialty Water                             | 525 - 1100 gal.  | CLD 23 | PE |
| Specialty Water Tanks (w/Steel Frame)       | 375 gal.         | CLD 23 | PE |
| Specialty Water Tanks / Free Standing Tanks | 100 - 4200 gal.  | CLD 23 | PE |
| Spot Sprayers                               | 20 - 25 gal.     | CLD 23 | PE |
| Tuna Can                                    | 5,000 gal.       | CLD 23 | PE |
| Vertical                                    | 20 - 20,000 gal. | CLD 23 | PE |
| Water Hauling Tanks                         | 1250 - 2400 gal. | CLD 23 | PE |
| Water Only                                  | 20 - 20,000 gal. | CLD 23 | PE |

[1] Certified Tanks are White, Black, Green, or Blue.

[2] DL - Domed Lid.

## Facility : Tooele, UT

### Protective (Barrier) Materials

| Trade Designation                           | Water Contact<br>Size Restriction | Water<br>Contact<br>Temp | Water<br>Contact<br>Material |
|---|-----------------------------------|--------------------------|------------------------------|
| <b>Tanks[1]</b>                             |                                   |                          |                              |
| Applicator Tanks                            | 20 - 500 gal.                     | CLD 23                   | PE                           |
| Applicator Tanks (Slim Line)                | 150 - 200 gal.                    | CLD 23                   | PE                           |
| Below Ground Holding Tanks                  | 2,000 - 20,000 gal.               | CLD 23                   | PE                           |
| Bushman-Water Tank[2]                       | >= 20 gal.                        | CLD 23                   | PE                           |
| Cistern                                     | >= 500 gal.                       | CLD 23                   | PE                           |
| Cistern DL[2]                               | >= 600 gal.                       | CLD 23                   | PE                           |
| Cistern Sphere                              | 250 - 325 gal.                    | CLD 23                   | PE                           |
| Cistern Sphere DL[2]                        | >= 225 gal.                       | CLD 23                   | PE                           |
| Cone Bottom                                 | 125 - 10,000 gal.                 | CLD 23                   | PE                           |
| Drainable Leg                               | 710 - 3210 gal.                   | CLD 23                   | PE                           |
| Elliptical                                  | 200 - 1600 gal.                   | CLD 23                   | PE                           |
| Elliptical Leg Tanks                        | 135 - 4035 gal.                   | CLD 23                   | PE                           |
| Flat Bottom Utility                         | 20 - 500 gal.                     | CLD 23                   | PE                           |
| Horizontal                                  | 35 - 6025 gal.                    | CLD 23                   | PE                           |
| Inductor Tanks                              | 20 - 80 gal.                      | CLD 23                   | PE                           |
| Loaf Tanks                                  | 50 - 1050 gal.                    | CLD 23                   | PE                           |
| Mini Bulk                                   | >= 120 gal.                       | CLD 23                   | PE                           |
| PCO   | 30 - 300 gal.                     | CLD 23                   | PE                           |
| Pickup                                      | >= 210 gal.                       | CLD 23                   | PE                           |
| Specialty Water                             | 525 - 1100 gal.                   | CLD 23                   | PE                           |
| Specialty Water Tanks / Free Standing Tanks | 100 - 4200 gal.                   | CLD 23                   | PE                           |



|                                       |                  |        |    |
|---------------------------------------|------------------|--------|----|
| Specialty Water Tanks (w/Steel Frame) | 375 gal.         | CLD 23 | PE |
| Spot Sprayers                         | 20 - 25 gal.     | CLD 23 | PE |
| Tuna Can                              | 5000 gal.        | CLD 23 | PE |
| Vertical                              | 20 - 20,000 gal. | CLD 23 | PE |
| Water Hauling Tanks                   | 1250 - 2400 gal. | CLD 23 | PE |
| Water Only                            | 20 - 20,000 gal. | CLD 23 | PE |

[1] Certified tanks are available in black, blue, green, or white.

[2] DL - Domed lid.

**Facility :** Washougal, WA

### Protective (Barrier) Materials

| <b>Trade Designation</b>     | <b>Water Contact<br/>Size Restriction</b> | <b>Water<br/>Contact<br/>Temp</b> | <b>Water<br/>Contact<br/>Material</b> |
|------------------------------|---|-----------------------------------|---------------------------------------|
| <b>Tanks[1]</b>              |   |                                   |                                       |
| Applicator Tanks             | 20 - 500 gal.                             | CLD 23                            | PE                                    |
| Applicator Tanks (Slim Line) | 150 - 200 gal.                            | CLD 23                            | PE                                    |
| Below Ground Holding Tanks   | 2,000 - 20,000 gal.                       | CLD 23                            | PE                                    |
| Bushman-Water Tank           | >= 20 gal.                                | CLD 23                            | PE                                    |
| Cistern                      | >= 500 gal.                               | CLD 23                            | PE                                    |
| Cistern DL[2]                | >= 600 gal.                               | CLD 23                            | PE                                    |
| Cistern Sphere               | 250 - 325 gal.                            | CLD 23                            | PE                                    |
| Cistern Sphere DL[2]         | >= 225 gal.                               | CLD 23                            | PE                                    |

|   |                   |        |    |
|---|-------------------|--------|----|
| Cone Bottom                                 | 125 - 10,000 gal. | CLD 23 | PE |
| Drainable Leg                               | 710 - 3210 gal.   | CLD 23 | PE |
| Elliptical                                  | 200 - 1600 gal.   | CLD 23 | PE |
| Elliptical Leg Tanks                        | 135 - 4035 gal.   | CLD 23 | PE |
| Flat Bottom Utility                         | 20 - 500 gal.     | CLD 23 | PE |
| Horizontal                                  | 35 - 6025 gal.    | CLD 23 | PE |
| Inductor Tanks                              | 20 - 80 gal.      | CLD 23 | PE |
| Loaf Tanks                                  | 50 - 1050 gal.    | CLD 23 | PE |
| Mini Bulk                                   | >= 120 gal.       | CLD 23 | PE |
| PCO   | 30 - 300 gal.     | CLD 23 | PE |
| Pickup                                      | >= 210 gal.       | CLD 23 | PE |
| Specialty Water                             | 525 - 1100 gal.   | CLD 23 | PE |
| Specialty Water Tanks (w/Steel Frame)       | 375 gal.          | CLD 23 | PE |
| Specialty Water Tanks / Free Standing Tanks | 100 - 4200 gal.   | CLD 23 | PE |
| Spot Sprayers                               | 20 - 25 gal.      | CLD 23 | PE |
| Tuna Can                                    | 5000 gal.         | CLD 23 | PE |
| Vertical                                    | 20 - 20,000 gal.  | CLD 23 | PE |
| Water Hauling Tanks                         | 1250 - 2400 gal.  | CLD 23 | PE |
| Water Only                                  | 20 - 20,000 gal.  | CLD 23 | PE |

[1] Certified tanks are available in black, blue, green, or white.

[2] DL - Domed lid.

---

Number of matching Manufacturers is 1

Number of matching Products is 162

Processing time was 0 seconds